MATERIAL SAFETY DATA SHEET

1. Identification of the product and of the company Identification of the product Catalogue No.: 120U

Product name:

KITAGAWA GAS DETECTOR TUBE HYDROGEN SULPHIDE 120U Manufacture/supplier identification Company:

KOMYO RIKAGAKU KOGYO K.K. 1-8-28 SHIMONOGE. TAKATSU-KU. KAWASAKI-CITY. KANAGAWA 213-0006. JAPAN TEL+81(0)44-833-8911 FAX+81(0)44-833-2672

2. Chemical identification of ingredients

Detector tube:

Inert porous carrier material impregnated with Silver p-toluenesulfonate, Lithium bromide monohydrate and pH indicator sealed in a glass tube.

CAS NUMBER	INGREDIENTS	mg/Tube	%	SYMBOLS
16836-95-6	Silver p-toluenesulfonate	< 0.1	< 0.1	$CH_3C_6H_4SO_3Ag$
85017-82-9	Lithium bromide monohydrate	8	0.8	LiBr•H ₂ O
	pH indicator	< 0.1	< 0.1	-

Hazardous information of ingredients

Exposure Limit

Short-term:

N/A-As impregnated on silica gel.

Long-term:

N/A- As impregnated on silica gel.

In our experience, there is no release of these chemicals from the glass tube in normal use.

3. Hazards identification

Hazards identification:

Glass hazard

4. First aid measures (in the case of contact with the contents of a broken tube.)

Skin contact:	
	Wash affected area with copious amount of water.
Eye contact:	
	Wash eyes immediately with copious amount of water or normal saline solution
	Ensure lift eyelids and rinse for at least 15 min. Seek medical attention.
Ingestion:	•
-	Seek medical attention immediately.

5. Fire fighting measures

Flash point:

Non-combustible Extinguishing media: All known extinguishants can be used. Special fire fighting Procedures: None Unusual fire & Explosion hazards: Negligible fire hazard when exposed to heat or flame.

6. Accidental release measures

Personal protection:

Do not pick up broken glass with bare hands if the tube is broken. Cover with inert absorbent such as vermiculite. Sweep up and contain for waste disposal.

7. Handling and storage Handling & use: Storage:	Ensure the instructions for use are followed. Safety glasses and gloves should be worn to prevent injury from splintering glass. Keep away from direct sunlight and store at 25 degree C or lower.
8. Exposure control/perso Respiratory protection: Ventilation: Other protective equipme	onal protection Not applicable not applicable nt:
 <u>9. Physical/Chemical pro</u> Appearance: Boiling point: Melting point: Specific gravity (H₂O=1): Evaporation rate (BuOAc Solubility in water: Vapour pressure: 	Yellow and white solid layers sealed in a glass tube. Not applicable Not applicable Not applicable
Vapour density: <u>10. Stability and Reactivi</u> Stability: Incompatibilities: Hazardous decomposition Hazardous polymerizatio	Stable at under ambient temperatures and pressures. Not applicable n products: None
<u>11. Toxicological informa</u> General: Skin contact: Eye contact: Ingestion:	In our experience this products is not harmful to health when correctly used/handled. Contents may be irritating to the skin if the tube broken. Contents may be irritating to the eyes if the tube broken. Glass hazard MSDS No. E002 Ver.6 Date: 2013/8/16

12. Ecological information

General:

Do not allow to enter drinking water supplies.

13. Disposal considerations

General:

Ensure the tubes are open at both end. Submerge in Water. Neutralize water if necessary and dispose of as aqueous waste. The glass tubes can then be disposed of as inert "sharps".

14. Transport information

General:

This product does not pose significant risk to health, safety or property.

15. Regulatory information

General:

Not classified hazardous under CHIP2 Regulations as this product consists of a sealed glass tube containing a small amount of chemicals impregnated onto Silica sand.

16. Other information

Details given in this document are believed to be correct at the time of going to press. While proper care has been taken in the preparation of this document, but we cannot guarantee its accuracy or completeness, therefore we disclaim any liability for injury or damage when the product is used for other purposes than it is intended.